

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	81733	drill\$4 and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 07:39
L2	2972	1 and (metal with seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 07:39
L3	382	2 and (wellhead well adj head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 07:39
L4	67	3 and bushing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 07:27
L5	315	3 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 07:27
L6	126498	drill\$4 and head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 07:39
L7	3026	6 and (metal with seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 07:39
L8	547	7 and (wellhead well adj head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 07:39

L9	253	8 not 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 07:39
S1	4	((("5605194") or ("6199914"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:49
S2	13	("3247914"   "3955623"   "4550782"   "4552213"   "5028079"   "5080174"   "5240081"   "5341885"   "5439061"   "5492373").PN. OR ("5605194"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/21 12:51
S3	10406	((175/162,195,57) or (166/382,379, 77.1,85.1,85.4,88.1,78.1,75.13,75. 14) or (285/148.19,123.7,349,368, 414,123.12,123.13,123.14,363,378, 379,380)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 13:01
S4	744	S3 and (metal with seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:58
S5	64	S4 and ((metal adj metal) near3 seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:02
S6	25	S5 and (wellhead well adj head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:41
S7	25	S5 and (wellhead (well adj head))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:58

S8	6	S3 and (independent near3 screw\$3 near3 (wellhead well adj head))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:01
S9	39	S5 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 13:03
S10	76	(independent near3 (wellhead well adj head))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:03
S11	3	S10 and ((metal adj metal) near3 seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:02
S12	1	2002-683069.NRAN.	DERWENT	OR	ON	2005/07/21 14:02
S13	1	2005-202189.NRAN.	DERWENT	OR	ON	2005/07/21 14:07
S14	34	("0739859"   "1153824"   "1721325"   "1825962"   "1866160"   "2126505"   "2521647"   "2626839"   "3326560").PN. OR ("3637223").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/21 14:19
S15	25	("0739859"   "1153824"   "1721325"   "1825962"   "1866160"   "2126505"   "2521647"   "2626839"   "3326560").PN. OR ("3637223").URPN.	US-PGPUB; USPAT	OR	ON	2005/07/21 14:19
S16	10	(drilling near4 flange) and (metal near4 seal) and (wellhead well adj head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:48
S17	31	(drilling near4 flange) and (metal near4 seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:32

S18	21	S17 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:32
S19	11	S4 and (drilling near4 flange)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:30
S21	4	S19 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:57
S22	7	((("2417025") or ("4487434"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:29
S23	37	S3 and (drilling near4 flange)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:31
S24	2	S4 and (lockdown near3 nut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:33
S25	19	S3 and (lockdown near3 nut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:33
S26	241	S4 and (wellhead well adj head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:42

S27	126	S26 and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:42
S28	68	S27 and drill\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:42
S29	1212	(metal near4 seal) and (wellhead well adj head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:48
S30	665	S29 and drill\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:48
S31	285	S30 and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:49
S32	2064	S3 and drilling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:31
S33	234	S4 and drilling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:31
S34	17	S33 and (wear near3 bushing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:33

S35	380	S30 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 07:20
-----	-----	-------------	---	----	----	------------------